

	Конструкция	Рy	Дy	Материал	Подсоединение	Форма	Температура *корпус	Характеристика
	36472....1	PN 63	DN 15-DN 40	GP240GH+N, 1.0619+N	Фланец	Проходной	-10 °C до400 °C	ARI-PREMIO 2,2xH
	36472....1	PN 63	DN 15-DN100	GP240GH+N, 1.0619+N	Фланец	Проходной	-10 °C до400 °C	ARI-PREMIO 5xH
	36472....1	PN 63	DN 15-DN100	GP240GH+N, 1.0619+N	Фланец	Проходной	-10 °C до400 °C	ARI-PREMIO 12xH
	36472....1	PN 63	DN 15-DN100	GP240GH+N, 1.0619+N	Фланец	Проходной	-10 °C до400 °C	AUMA SAR07.1
	36472....1	PN 63	DN 15-DN 65	GP240GH+N, 1.0619+N	Фланец	Проходной	-10 °C до400 °C	DP32
	36472....1	PN 63	DN 15-DN100	GP240GH+N, 1.0619+N	Фланец	Проходной	-10 °C до400 °C	DP33
	36472....1	PN 63	DN 65-DN100	GP240GH+N, 1.0619+N	Фланец	Проходной	-10 °C до400 °C	ARI-PREMIO 15xH
	36472....1	PN 63	DN 80-DN100	GP240GH+N, 1.0619+N	Фланец	Проходной	-10 °C до400 °C	DP34
	36472....4	PN 63	DN 15-DN 40	GP240GH+N, 1.0619+N	Конец под приварку	Проходной	-10 °C до400 °C	ARI-PREMIO 2,2xH
	36472....4	PN 63	DN 15-DN100	GP240GH+N, 1.0619+N	Конец под приварку	Проходной	-10 °C до400 °C	ARI-PREMIO 5xH
	36472....4	PN 63	DN 15-DN100	GP240GH+N, 1.0619+N	Конец под приварку	Проходной	-10 °C до400 °C	ARI-PREMIO 12xH
	36472....4	PN 63	DN 15-DN100	GP240GH+N, 1.0619+N	Конец под приварку	Проходной	-10 °C до400 °C	AUMA SAR07.1
	36472....4	PN 63	DN 15-DN 65	GP240GH+N, 1.0619+N	Конец под приварку	Проходной	-10 °C до400 °C	DP32
	36472....4	PN 63	DN 15-DN100	GP240GH+N, 1.0619+N	Конец под приварку	Проходной	-10 °C до400 °C	DP33
	36472....4	PN 63	DN 65-DN100	GP240GH+N, 1.0619+N	Конец под приварку	Проходной	-10 °C до400 °C	ARI-PREMIO 15xH
	36472....4	PN 63	DN 80-DN100	GP240GH+N, 1.0619+N	Конец под приварку	Проходной	-10 °C до400 °C	DP34
	37472....1	PN100	DN 15-DN 40	GP240GH+N, 1.0619+N	Фланец	Проходной	-10 °C до400 °C	ARI-PREMIO 2,2xH
	37472....1	PN100	DN 15-DN100	GP240GH+N, 1.0619+N	Фланец	Проходной	-10 °C до400 °C	ARI-PREMIO 5xH
	37472....1	PN100	DN 15-DN100	GP240GH+N, 1.0619+N	Фланец	Проходной	-10 °C до400 °C	ARI-PREMIO 12xH
	37472....1	PN100	DN 15-DN100	GP240GH+N, 1.0619+N	Фланец	Проходной	-10 °C до400 °C	AUMA SAR07.1
	37472....1	PN100	DN 15-DN 65	GP240GH+N, 1.0619+N	Фланец	Проходной	-10 °C до400 °C	DP32
	37472....1	PN100	DN 15-DN100	GP240GH+N, 1.0619+N	Фланец	Проходной	-10 °C до400 °C	DP33
	37472....1	PN100	DN 65-DN100	GP240GH+N, 1.0619+N	Фланец	Проходной	-10 °C до400 °C	ARI-PREMIO 15xH
	37472....1	PN100	DN 80-DN100	GP240GH+N, 1.0619+N	Фланец	Проходной	-10 °C до400 °C	DP34
	37472....4	PN100	DN 15-DN 40	GP240GH+N, 1.0619+N	Конец под приварку	Проходной	-10 °C до400 °C	ARI-PREMIO 2,2xH
	37472....4	PN100	DN 15-DN100	GP240GH+N, 1.0619+N	Конец под приварку	Проходной	-10 °C до400 °C	ARI-PREMIO 5xH
	37472....4	PN100	DN 15-DN100	GP240GH+N, 1.0619+N	Конец под приварку	Проходной	-10 °C до400 °C	ARI-PREMIO 12xH
	37472....4	PN100	DN 15-DN100	GP240GH+N, 1.0619+N	Конец под приварку	Проходной	-10 °C до400 °C	AUMA SAR07.1
	37472....4	PN100	DN 15-DN 65	GP240GH+N, 1.0619+N	Конец под приварку	Проходной	-10 °C до400 °C	DP32
	37472....4	PN100	DN 15-DN100	GP240GH+N, 1.0619+N	Конец под приварку	Проходной	-10 °C до400 °C	DP33
	37472....4	PN100	DN 65-DN100	GP240GH+N, 1.0619+N	Конец под приварку	Проходной	-10 °C до400 °C	ARI-PREMIO 15xH

	37472....4	PN100	DN 80-DN100	GP240GH+N, 1.0619+N	Конец под приварку	Проходной	-10 °C до400 °C	DP34
	38472....1	PN160	DN 15-DN 40	GP240GH+N, 1.0619+N	Фланец	Проходной	-10 °C до400 °C	ARI-PREMIO 2,2xH
	38472....1	PN160	DN 15-DN100	GP240GH+N, 1.0619+N	Фланец	Проходной	-10 °C до400 °C	ARI-PREMIO 5xH
	38472....1	PN160	DN 15-DN100	GP240GH+N, 1.0619+N	Фланец	Проходной	-10 °C до400 °C	ARI-PREMIO 12xH
	38472....1	PN160	DN 15-DN100	GP240GH+N, 1.0619+N	Фланец	Проходной	-10 °C до400 °C	AUMA SAR07.1
	38472....1	PN160	DN 15-DN 65	GP240GH+N, 1.0619+N	Фланец	Проходной	-10 °C до400 °C	DP32
	38472....1	PN160	DN 15-DN100	GP240GH+N, 1.0619+N	Фланец	Проходной	-10 °C до400 °C	DP33
	38472....1	PN160	DN 65-DN100	GP240GH+N, 1.0619+N	Фланец	Проходной	-10 °C до400 °C	ARI-PREMIO 15xH
	38472....1	PN160	DN 80-DN100	GP240GH+N, 1.0619+N	Фланец	Проходной	-10 °C до400 °C	DP34
	38472....4	PN160	DN 15-DN 40	GP240GH+N, 1.0619+N	Конец под приварку	Проходной	-10 °C до400 °C	ARI-PREMIO 2,2xH
	38472....4	PN160	DN 15-DN100	GP240GH+N, 1.0619+N	Конец под приварку	Проходной	-10 °C до400 °C	ARI-PREMIO 5xH
	38472....4	PN160	DN 15-DN100	GP240GH+N, 1.0619+N	Конец под приварку	Проходной	-10 °C до400 °C	ARI-PREMIO 12xH
	38472....4	PN160	DN 15-DN100	GP240GH+N, 1.0619+N	Конец под приварку	Проходной	-10 °C до400 °C	AUMA SAR07.1
	38472....4	PN160	DN 15-DN 65	GP240GH+N, 1.0619+N	Конец под приварку	Проходной	-10 °C до400 °C	DP32
	38472....4	PN160	DN 15-DN100	GP240GH+N, 1.0619+N	Конец под приварку	Проходной	-10 °C до400 °C	DP33
	38472....4	PN160	DN 65-DN100	GP240GH+N, 1.0619+N	Конец под приварку	Проходной	-10 °C до400 °C	ARI-PREMIO 15xH
	38472....4	PN160	DN 80-DN100	GP240GH+N, 1.0619+N	Конец под приварку	Проходной	-10 °C до400 °C	DP34
	86472....1	PN 63	DN 15-DN 40	G-17CrMo9-10, 1.7379	Фланец	Проходной	-10 °C до550 °C	ARI-PREMIO 2,2xH
	86472....1	PN 63	DN 15-DN100	G-17CrMo9-10, 1.7379	Фланец	Проходной	-10 °C до550 °C	ARI-PREMIO 5xH
	86472....1	PN 63	DN 15-DN100	G-17CrMo9-10, 1.7379	Фланец	Проходной	-10 °C до550 °C	ARI-PREMIO 12xH
	86472....1	PN 63	DN 15-DN100	G-17CrMo9-10, 1.7379	Фланец	Проходной	-10 °C до550 °C	AUMA SAR07.1
	86472....1	PN 63	DN 15-DN 65	G-17CrMo9-10, 1.7379	Фланец	Проходной	-10 °C до550 °C	DP32
	86472....1	PN 63	DN 15-DN100	G-17CrMo9-10, 1.7379	Фланец	Проходной	-10 °C до550 °C	DP33
	86472....1	PN 63	DN 65-DN100	G-17CrMo9-10, 1.7379	Фланец	Проходной	-10 °C до550 °C	ARI-PREMIO 15xH
	86472....1	PN 63	DN 80-DN100	G-17CrMo9-10, 1.7379	Фланец	Проходной	-10 °C до550 °C	DP34
	86472....4	PN 63	DN 15-DN 40	G-17CrMo9-10, 1.7379	Конец под приварку	Проходной	-10 °C до550 °C	ARI-PREMIO 2,2xH
	86472....4	PN 63	DN 15-DN100	G-17CrMo9-10, 1.7379	Конец под приварку	Проходной	-10 °C до550 °C	ARI-PREMIO 5xH
	86472....4	PN 63	DN 15-DN100	G-17CrMo9-10, 1.7379	Конец под приварку	Проходной	-10 °C до550 °C	ARI-PREMIO 12xH
	86472....4	PN 63	DN 15-DN100	G-17CrMo9-10, 1.7379	Конец под приварку	Проходной	-10 °C до550 °C	AUMA SAR07.1
	86472....4	PN 63	DN 15-DN 65	G-17CrMo9-10, 1.7379	Конец под приварку	Проходной	-10 °C до550 °C	DP32
	86472....4	PN 63	DN 15-DN100	G-17CrMo9-10, 1.7379	Конец под приварку	Проходной	-10 °C до550 °C	DP33
	86472....4	PN 63	DN 65-DN100	G-17CrMo9-10, 1.7379	Конец под приварку	Проходной	-10 °C до550 °C	ARI-PREMIO 15xH

